



EUROPEAN

SOLID SURFACE SERIES



Welcome To THE WORLD OF TECHNOLOGY




GERMAN TECHNOLOGY

Against CRACK after applying **BERGA** sheet






NEW Dolphin Nose Technology



In Summer, Winter & Rainy... Base Material Like Plywood, MDF etc. get expand & contract. Due to that crack arrives in normal laminate. Because of **BREATHING TECHNOLOGY** crack does not happen in **BERGA**.

CHAMFERING Technology





EDGELESS Technology

POST FORMING Technology





BUFFING Technology

CNC CUTTING

CAN BE DONE IN 1 mm, 1.5 mm & 2 mm

INDEX





Click here to go page no. 01



Click here to go page no. 06



Click here to go page no. 31



Click here to go page no. 72

EUROPEAN

SOLID SURFACE SERIES





Click here to go page no. 100





Click here to go page no. 113



Click here to go page no. 134



Click here to go page no. 135





Click here to go page no. 136





Click here to go page no. 149









MEET THE PERFECT











B-S-33021






DO IT IN STYLE











the beauty and bliss of INSPIRING SURFACE

90° bend NOT TO BE DONE in this series.





UNICO[®]
KRYSTALA[®] 2











Chamfering Technology

Transforming simple edge to slop to create every furniture into masterpiece

Also available in 1.5 mm & 1 mm on request.

90° bend NOT TO BE DONE in this series.









B-P-23006



Edgeless Technology

With unique technology bend & shape our laminates into exquisite curves to make your space into masterpiece

Also available in 1.5 mm & 1 mm on request.

90° bend NOT TO BE DONE in this series.













High Gloss

With our high gloss laminates, discover the magic of superficially and attractive product to meet your interiors to make perfect space

Also available in 1.5 mm & 1 mm on request.

90° bend NOT TO BE DONE in this series.





Obsession is essential to creativity









90° bend NOT TO BE DONE in this series.

• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert.





MAKE SMART CHOICES IN YOUR LIFE









90° bend NOT TO BE DONE in this series.









Design to communicate, not just decorate.













SIMPLICITY


IS THE KEYNOTE OF ALL TRUE ELEGANCE











90° bend NOT TO BE DONE in this series.




Perfect CREATIONS

always needs a

Perfect MATERIAL











90° bend NOT TO BE DONE in this series.













90° bend NOT TO BE DONE in this series.















90° bend NOT TO BE DONE in this series.











$\displaystyle \frac{\mathbf{Design}}{\mathsf{to} \; \mathsf{add} \; \mathsf{volume}}$
















FALL HEAD OVER HEELS FOR THIS ARTISTIC MASTERPIECE



Also available in 1.5 mm on request.

Exclusive New Arrivals

UTTICO[®] KRYSTALA[®] 1.5 +

By





Against CRACK after applying **BERGA** sheet














EDGELESS TECHNOLOGY

90° bend NOT TO BE DONE in this series.





"Beauty is the Harmony of Function and Form."











CHAMFERING TECHNOLOGY





"A design isn't finished until someone is using it"





NEW DOLPHIN NOSE TECHNOLOGY







1.5 mm **B**-P-153065








"Simplicity is about subtracting the obvious and adding the meaningful."







BUFFING TECHNOLOGY
















SUPERIOR HIGH GLOSS





1.5 mm



90° bend NOT TO BE DONE in this series.

• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert. **CHAMFERING & CNC CUTTING** can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.












NO BLACK EDGES



90° bend NOT TO BE DONE in this series.






"Simplicity is the Ultimate Sophistication."







1.5 mm **B**-P-153033

Also available in 2 mm & 1 mm on request.



1.5 mm **B**-P-153002

Also available in 2 mm & 1 mm on request.

EDGELESS TECHNOLOGY








"Space is the Breath of Art."










1.5 mm **B**-P-153021

Also available in 2 mm & 1 mm on request.




1.5 mm **B**-P-153007

Also available in 2 mm & 1 mm on request.

CHAMFERING TECHNOLOGY

90° bend NOT TO BE DONE in this series.






"Elegance is an attitude."







1.5 mm

B-P-153045

Also available in 2 mm & 1 mm on request.



1.5 mm

B-P-153022

Also available in 2 mm & 1 mm on request.







"Obsession is essential to creativity"









1.5 mm **B**-P-153015

Also available in 2 mm & 1 mm on request.



1.5 mm **B**-P-153056

Also available in 2 mm & 1 mm on request.


CHAMFERING TECHNOLOGY





"Simple is new black"





1.5 mm **B**-P-153029

Also available in 2 mm & 1 mm on request.




1.5 mm **B**-P-153031

Also available in 2 mm & 1 mm on request.











"Talent is good.
Practice is better.
Passion is best."








NO BLACK EDGES



1.5 mm **B**-P-153001 Also available in 2 mm & 1 mm on request.



1.5 mm **B**-P-153012 Also available in 2 mm & 1 mm on request.




1.5 mm **B**-P-153052 Also available in 1 mm on request.



90° bend NOT TO BE DONE in this series.

• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert. **CHAMFERING & CNC CUTTING** can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.





"Quality isn't expensive, it's priceless."









1.5 mm **B**-P-153004

Also available in 2 mm & 1 mm on request.





1.5 mm **B**-P-153044

Also available in 2 mm & 1 mm on request.


EDGELESS TECHNOLOGY







"Design to communicate, not just decorate."









1.5 mm **B**-P-153014

Also available in 2 mm & 1 mm on request.



1.5 mm **B**-P-153020

Also available in 2 mm & 1 mm on request.





90° bend NOT TO BE DONE in this series.

 Kindly note: EDGELESS process to be done exclusively under the guidance of expert. CHAMFERING & CNC CUTTING can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.





"Design is where technology and art break even."







WATER PROOF



B-P-153041 1.5 mm

Also available in 2 mm & 1 mm on request.



1.5 mm **B**-P-153048

Also available in 2 mm & 1 mm on request.





1.5 mm


B-P-1521035

Also available in 2 mm & on request.









1.5 mm

B-P-1521038

Also available in 2 mm & 1 mm on request.

90° bend NOT TO BE DONE in this series.

• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert.

CHAMFERING & CNC CUTTING can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.





1.5 mm

B-P-1521033

Also available in 2 mm & on request.









1.5 mm

B-P-1521034


Also available in 2 mm & 1 mm on request.

90° bend NOT TO BE DONE in this series.


• Kindly note: EDGELESS process to be done exclusively under the guidance of expert.


FERING & CNC CUTTING can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.





























1.5 mm


B-P-P-1521041

















1.5 mm

B-P-1521043









1.5 mm

B-P-1521044

LITICO[®] KRYSTALA[®] 1


By





Against CRACK after applying **BERGA** sheet





"Elegance is an attitude."







1 mm **B**-P-3021 Also available in 2 mm & 1.5 mm on request.



1 mm **B**-P-3002 Also available in 2 mm & 1.5 mm on request.



1 mm **B**-P-3045 Also available in 2 mm & 1.5 mm on request.



90° bend NOT TO BE DONE in this series.






"Space is the Breath of Art."









1 mm **B**-P-3007 Also available in 2 mm & 1.5 mm on request.



1 mm **B**-P-3033 Also available in 2 mm & 1.5 mm on request.


CHAMFERING TECHNOLOGY

90° bend NOT TO BE DONE in this series.

• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert.

CHAMFERING & CNC CUTTING can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.





"Simplicity is the Ultimate Sophistication."









1 mm **B**-P-3022 Also available in 2 mm & 1.5 mm on request.



EDGELESS TECHNOLOGY






"Simple is new black"





1 mm **B**-P-3056 Also available in 2 mm & 1.5 mm on request.




1 mm **B**-P-3006 Also available in 2 mm on request.



1 mm **B**-P-3031 Also available in 2 mm & 1.5 mm on request.









"Obsession is essential to creativity"










1 mm **B**-P-3015 Also available in 2 mm & 1.5 mm on request.




1 mm **B**-P-3029 Also available in 2 mm & 1.5 mm on request.




1 mm **B**-P-3034


BUFFING TECHNOLOGY







"Design to communicate, not just decorate."







1 mm **B**-P-3044 Also available in 2 mm & 1.5 mm on request.



1 mm **B**-P-3004 Also available in 2 mm & 1.5 mm on request.






90° bend NOT TO BE DONE in this series.

• Kindly note: EDGELESS process to be done exclusively under the guidance of expert.

CHAMFERING & CNC CUTTING can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.





"Quality isn't expensive, it's priceless."











B-P-3014 1 mm Also available in 2 mm & 1.5 mm on request.

EDGELESS TECHNOLOGY





"Encounter Brilliance In Every Portion"









1 mm **B**-P-3020 Also available in 2 mm & 1.5 mm on request.



1 mm **B**-P-3003



I mm B-P-3054
Also available in 2 mm on request.

90° bend NOT TO BE DONE in this series.

• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert. **CHAMFERING & CNC CUTTING** can be done in **1 mm**, **1.5 mm & 2 mm** thickness at your convenience, by yourself.





"Simplicity is about subtracting the obvious and adding the meaningful."









B-P-3001 Also available in 2 mm & 1.5 mm on request.



B-P-3012 1 mm Also available in 2 mm & 1.5 mm on request.



B-P-3039 Also available in 2 mm & 1.5 mm on request.





"Design is where technology and art break even."







WATER PROOF



B-P-3041 1 mm Also available in 2 mm & 1.5 mm on request.



1 mm **B**-P-3048 Also available in 2 mm & 1.5 mm on request.













B-P-3008 Also available in 2 mm & 1.5 mm on request.





1 mm **B**-P-3005 Also available in 2 mm on request.

NO BLACK EDGES

90° bend NOT TO BE DONE in this series.

• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert.





"Some people look for a Beautiful place,
Others make a place Beautiful".









B-P-3052 1 mm Also available in 1.5 mm on request.



1 mm **B-P-3009** Also available in 1.5 mm on request.



B-P-3013 Also available in 2 mm on request.

POST FORMING TECHNOLOGY

90° bend NOT TO BE DONE in this series.


• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert.







ANTI SCRATCH














1 mm **B**-J-2009



1 mm **B**-J-2012

ANTI FINGER PRINT



90° bend NOT TO BE DONE in this series.

• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert. **CHAMFERING & CNC CUTTING** can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.








LAMINATI

We recommend the use of **BERGA PVC GLUE** for pasting. **BERGA PVC GLUE** is special Adhesive for Acrylic & PVC Laminates.

We do not recommend the use of heat activated adhesives.



CHAMFERING Technology



EDGELESS Technology



POST FORMING Technology



NEW DOLPHIN NOSE Technology





SOLID SURFACE









1.5 mm

B-G-17002



























101

3D Technology

New Revolutionary BREATHING Technology

EDGELESS Technology

CHAMFERING Technology

Anti Bacterial CNC Cutting NO BLACK EDGES NON TOXIC WATER PROOF







BOTH SIDE USABLE TECHNOLOGY

B-T-16001

1.5 mm

B-G-17001











B-T-16005

1.5 mm

B-G-17005













TECHNOLOGY

B-T-16003

1.5 mm

B-G-17003





Kindly note: EDGELESS process to be done exclusively under the guidance of expert.
 G & CNC CUTTING can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.










B-T-16010

1.5 mm

B-G-17010



process to be done exclusively under the guidance of expert. can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.















B-T-16016 1.5 mm B-G-17016









B-T-16012

1.5 mm

B-G-17012



CHAMFERING Technology







B-T-16004 1.5 mm

B-G-17004









90° BEND TECHNOLOGY

B-T-16009 1.5 mm B-G-17009











B-T-16018

1.5 mm

B-G-17018

process to be done exclusively under the guidance of expert. done in 1,000, 1.5 mm & 2 mm thickness at your convenience, by yourself. Kindly note:

can be done in










B-T-16017

1.5 mm

B-G-17017





BERGACOre® PLUS



SOLID SURFACE







1 mm







BERGA MATTO PLUS

HI-GLOSS

MATT

B-D-10092

1 mm B-M-11092

HI-GLOSS

MATT



1 mm B-D-10091 1 mm B-M-11091

III-GEGGG

HI-GLOSS MATT



HI-GLOSS

1 mm **B-M-11095**

MATT



1 mm B-D-10093

1 mm B-M-11093

























ionary NG

EDGELESS Technology
















B-D-10002 1.5 mm

B-M-11002



HI-GLOSS







EDGELESS TECHNOLOGY

B-D-10001 1.5 mm

B-M-11001



HI-GLOSS







BOTH SIDE USABLE TECHNOLOGY










1.5 mm

B-M-11003











1.5 mm

B-M-11010

• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert. **CHAMFERING & CNC CUTTING** can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.







B-D-10011 1.5 mm

B-M-11011



HI-GLOSS









1.5 mm

B-M-11016



HI-GLOSS MATT





• Kindly note: EXCEUESE process to be done exclusively under the guidance of expert.

• Kindly note: EXCEUESE process to be done exclusively under the guidance of expert.

• Kindly note: EXCEUESE process to be done exclusively under the guidance of expert.








1.5 mm

B-M-11004





HI-GLOSS









B-D-10009 1.5 mm

B-M-11009




HI-GLOSS









HI-GLOSS

MATT







B-D-10014 1.5 mm B-M-11014





HI-GLOSS







B-D-10018 1.5 mm B-M-11018






HI-GLOSS



CHAMFERING Technology








BUFFING Technology




1.5 mm B-M-11013





1.5 mm

B-M-11015



HI-GLOSS

MATT

Kindly note: EDGELESS process to be done exclusively under the guidance of expert.
 CHAMFERING & CNC CUTTING can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.








90° BEND TECHNOLOGY

B-D-10017

1.5 mm

B-M-11017



HI-GLOSS

MATT

• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert.



1.5 mm

B-M-11006













1 mm **B-D-6002**

1 mm **B-M-7099**

1.5 mm

B-D-6001

1.5 mm

B-M-7001

































0.8 mm	B -D-6080	0.8 mm	B-M-7080

0.6 mm	B -M-7060





SOLID SURFACE









B-S-14002

1.5 mm

B-L-15002



























137

New Revolutionary BREATHING Technology

EDGELESS Fechnology

90° BEND Technology

Technology

Anti Bacteria







BOTH SIDE USABLE TECHNOLOGY

B-S-14001 1.5 mm B-L-15001



















B-S-14010

1.5 mm

B-L-15010

























B-S-14016

1.5 mm

B-L-15016









CHAMFERING Technology

B-S-14012

1.5 mm

B-L-15012















































CHAMFERING Technology



B-F-12002

1.5 mm

B-S-13002






























B-F-12001

1.5 mm

B-S-13001









B-F-12005 1.5 mm **B-S-13005**



• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert. CHAMFERING & CNC CUTTING can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.







EDGELESS TECHNOLOGY










B-F-12010

1.5 mm

B-S-13010



• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert. **CHAMFERING & CNC CUTTING** can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.







90° BEND TECHNOLOGY

B-F-12009 1.5 mm B-S-13009

















B-F-12004 1.5 mm B-S-13004







NEW Dolphin Nose Technology







B-F-12018

1.5 mm

B-S-13018



• Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert. **CHAMFERING & CNC CUTTING** can be done in 1 mm, 1.5 mm & 2 mm thickness at your convenience, by yourself.







B-F-12017 1.5 mm

B-S-13017







APPLICATION TO BE DONE

FOR THE PRODUCTS MENTION BELOW





BERGA MATTO PLUS

BERGA MATTO













Step 1: Remove the protective film from the SURFACE of the side which has to be PASTED.



Step 2: Use only SAND PAPER to SCRATCH the surface of the side which have to be pasted



Step 3: Do not use FARSI to scratch the sheet.



Step 4: Kindly SCRATCH the sheet thoroughly to be applied to the back SURFACE as shown in the above picture.



Step 5: Also SCRATCH plywood Surface



Step 6



Step 7: Apply THIN layer of the glue on the surface of the sheet which has been scratch.



Step 8: Apply THIN layer of the glue on the surface of the plywood which has been scratch.



Step 9: BERGA PVC GLUE to be applied to both the SURFACE and stick together immediately.



Step 10: Start pasting sheet from EDGE of the plywood.



Step 11



Step 12



Step 13: Time taken for the setting of the glue is 10 to 15 hrs



Step 14: Put Pressure on the sheet



Step 15: Kindly remove the protective film only when full interior work is completed.

DONT'S Do not use FARSI or any other sharp object to scratch the sheet.

• Kindly note: EDGELESS process to be done exclusively under the guidance of expert. CHAMFERING & CNC CUTTING can be done in 1.5 mm & 2 mm thickness at your convenience, by yourself.



IMPORTANT NOTE:

"The colour and effect of the product may vary in E-catalogue as it is scanned and photographed. Due to very high reflectivity of the material it is not possible to capture the exact colour and effect of the product in it's actual form.

Kindly check hard copy of the catalogue for further details."



Specifications

THICKNESS: Available 1.0 mm, 1.5 mm & 2.0 mm (+/-10%) according to the different products.

STANDARD SIZE: 8'X4'

RANGE: These laminates come in a wide range of designs and colours.

ADHESIVES: We recommend the use of BERGA PVC GLUE for pasting, BERGA PVC GLUE is a special Adhesive for Acrylic & PVC Laminates. It is World's Strongest Adhesive. We do not recommend the use of heat activated adhesives.

LAMINATION: Proper substrates must be used and careful bonding procedures must be observed. Substrates should be of good quality plywood, high density particle board, or high quality fibre board. The face of the substrates must be smooth and free of grease, wax, dust, chips and other foreign matter. We DO NOT recommend any kind of coat like PU base, melamine, lamination (wax) on our products. These products are manufactured from natural resources. Therefore, this application will spoil the originality and natural beauty of the laminate sheet. There can be colour variations In material from different batches. It Is advised to use same batch material to avoid colour variations. CUTTING & MACHINING: These laminates can be cut, routed and drilled, with most standard wood working tools or equipments. All blades must be sharp. To remove any burns that may occur in the cutting process, we recommend the use of a smooth file to feather all

BENDING & FORMING: These laminates can be bent and all radius bending should be handled in the same manner as all grades of non postforming decorative laminates.

MAINTENANCE: Any cleaning agent containing acids, alkalis or abrasives should not be used to clean this laminate. Exposure to sunlight should be avoided.

STORAGE: It is always advised that the laminates and the substrates are stored at temperatures between 22° C and 32° C at relative humidity of 45.55%.

WARRANTY: These products are free from all manufacturing defects and are fit and suitable for usual purpose under normal and proper use. The product must be inspected prior to installation.

THESE PRODUCTS HAVE NO GUARANTEE, NO RETURN & NO EXCHANGE

KINDLY ONLY USE BERGA PVC GLUE FOR BEST RESULTS FOR OUR PRODUCTS

IMPORTANT NOTE: KEEP AWAY FROM DIRECT LIGHT TO PREVENT DISCOLOURATION

BERGA is the only company which delivers 2 mm Acrylic LAMINATE in Roll form.

- 90° bend CAN BE DONE in EUROPEAN series.
- Kindly note: **EDGELESS** process to be done exclusively under the guidance of expert.

For more products refer our Master Catalogue













corner edges.























Disclaimers:



High moisture resistance



Keep away from direct sunlight



Do not use chemicals for cleaning.



EZ Clean with wet cotton cloth or melamine foam



Anti Bacteria & Anti Fungal



Filling the gap between two sheets with filler (glue) is not recommended, not possible in this series.



Engineered for internal use only.



Do not use pointed object.




No claim will be entertained for air bubbles.
Extra care is required in pasting of laminate sheets as there is possibility of bubbles due to lack of uniform pressure

Kindly visit our Website: www.berga.in & Also can Scan QR-Code Given Below for KNOWLEDGE OF APPLICATION & SPECIFICATIONS.

HARI OM LIFESTYLE

- 24/170, Kuldeep Co-op. Society, Near Ration Office, Rajendra Nagar, Borivali (E). Mumbai - 400 066.
- +91-7506705222
- @ enquiry@berga.in









www.berga.in